



3DEXPERIENCE

Real-time Simulation of Detailed Vehicle Model with FMI


Modelon

 **concurrent**
REAL-TIME

 **AUTOSAR Builder™**

 **DASSAULT**
SYSTEMES | IF WE ask the right questions
we can change the world.

Vehicle Model



Modelon



- **150 DOFs** (Degrees-of-Freedom)
- Inline integration - Implicit Euler
- 1 ms step size
- Decoupling front and rear wheel suspensions respectively from the body
- Decoupling each wheel from the wheel suspensions
- **Speed-up of 1.5**
- Parallelizing gives a **further speed-up of 2.8** with 4 cores


Paper: Parallel Model Execution on Many Cores
Hilding Elmqvist, Sven Erik Mattsson and Hans Olsson
Tuesday, March 11, 13:40

 **DASSAULT
SYSTEMES**


IF WE ask the right questions
we can change the world.

Cruise Controller FMU


Existing cruise controller exported from AUTOSAR Builder and imported in Dymola




```
<?xml version="1.0" encoding="ISO-8859-1"?>
<fmiModelDescription
  fmiVersion="2.0"
  modelName="TOP_LEVEL"
  guid="084d3248-fccb-4eb2-8e32-6905702c0cbb"
  description="Generated from AUTOSAR model in release 4.X for Co-Simulation"
  author="FV6"
  version="1.0"
  generationTool="AUTOSAR BUILDER ASim"
  generationDateAndTime="Fri Mar 07 19:04:02 CET 2014"
  variableNamingConvention="structured"
  numberOfEventIndicators="0">
  <CoSimulation modelIdentifier="TOP_LEVEL"/>
  <TypeDefinitions>
    <SimpleType name="T_float64">
      <Real />
    </SimpleType>
  </TypeDefinitions>
  <DefaultExperiment startTime="0.0"/>
  <ModelVariables>
    <ScalarVariable
      name="Adaptive_Cruise_Control_pp_v_lead_real_Out1"
      valueReference="51"
      description=""
      variability="discrete"
      initial="exact"
      causality="output">
      <Real declaredType="T_float64" start="0.0" />
    </ScalarVariable>
    <ScalarVariable
      name="Adaptive_Cruise_Control_rp_Max_Acceleration_Max_Acceleration"
```



FMU Software-In-the-Loop Simulation



FMU Software-In-the-Loop Simulation




Velocity and velocity reference
(AUTOSAR FMU inputs)

Accelerator signal
(Vehicle FMU input)

Gear number and clutch
(Vehicle FMU input)

HIL Simulation with Concurrent



- Real-time simulation of FMU using multiple cores

